



## Main Products

### Galvanized Steel Flexible Conduit



Galvanized		
Size	Inside Diameter	Wall Thickness
1/2"	16.5 mm	0.18 mm
3/4"	20 mm	0.20 mm
1"	25 mm	0.22 mm
1 1/4"	32 mm	0.25 mm
1 1/2"	38 mm	0.25 mm
2"	51 mm	0.35 mm
2 1/2"	64 mm	0.50 mm
3"	75 mm	0.50 mm
4"	100 mm	0.60 mm

**Material:** Galvanized Steel  
**Length:** 30m

### Liquid Tight Steel Flexible Conduit



Soft		
Size	Inside Diameter	Wall Thickness
1/2"	16.5 mm	0.18 mm
3/4"	20 mm	0.20 mm
1"	25 mm	0.22 mm
1 1/4"	35 mm	0.25 mm
1 1/2"	40 mm	0.25 mm
2"	51 mm	0.35 mm
2 1/2"	64 mm	0.50 mm
3"	78 mm	0.50 mm
4"	103 mm	0.60 mm

**Material:** PVC Coated Galvanized Steel  
**Length:** 50/100m

Hard		
Size	Inside Diameter	Wall Thickness
1/2"	16 mm	0.22 mm
3/4"	21 mm	0.25 mm
1"	26 mm	0.25 mm
1 1/4"	35 mm	0.30 mm
1 1/2"	40 mm	0.30 mm
2"	51 mm	0.30 mm
2 1/2"	64 mm	0.45 mm
3"	78 mm	0.45 mm
4"	101 mm	0.50 mm

### EMT Pipe



Size	Wall Thickness	Outside Diameter	Length
1/2"	0.80 mm	17.93 mm	3.05 mtrs
3/4"	0.95 mm	23.42 mm	3.05 mtrs
1"	1.05 mm	29.54 mm	3.05 mtrs
1 1/4"	1.25 mm	38.40 mm	3.05 mtrs
1 1/2"	1.25 mm	44.20 mm	3.05 mtrs
2"	1.35 mm	55.80 mm	3.05 mtrs
2 1/2"	1.70 mm	73.03 mm	3.05 mtrs
3"	1.80 mm	88.90 mm	3.05 mtrs
4"	2.00 mm	114.30 mm	3.05 mtrs

**Material:** Galvanized Steel

### EMT Elbow



Size
1/2"
3/4"
1"
1 1/4"
1 1/2"
2"
2 1/2"
3"
4"

### IMC Pipe



Size	Wall Thickness	Outside Diameter	Length
1/2"	1.70 mm	20.70 mm	3.05 mtrs
3/4"	1.80 mm	26.10 mm	3.05 mtrs
1"	2.00 mm	32.80 mm	3.05 mtrs
1 1/4"	2.00 mm	41.60 mm	3.05 mtrs
1 1/2"	2.10 mm	47.80 mm	3.05 mtrs
2"	2.30 mm	59.90 mm	3.05 mtrs
2 1/2"	3.00 mm	72.60 mm	3.05 mtrs
3"	3.30 mm	88.30 mm	3.05 mtrs
4"	3.30 mm	113.40 mm	3.05 mtrs

**Material:** Galvanized Steel

### IMC Elbow



Size
1/2"
3/4"
1"
1 1/4"
1 1/2"
2"
2 1/2"
3"
4"

### Plain/Slotted Strut Support Channel



Sizes		Wall Thickness
1-5/8" x 1-5/8"	41 x 41mm	1.5 mm
1-5/8" x 13/16"	41 x 21mm	1.5 mm

**Material:** Galvanized Steel  
**Length:** 3m

### Threaded Rod



Size
1/4"
5/16"
3/8"
1/2"
5/8"

**Material:** Zinc Plated Steel  
**Length:** 3m

## Accessories

### Straight Flexible Connector



### Flexible Angle Connector



### Squeeze Connector



### Liquid Tight Connector



### Liquid Tight Angle Connector (90 Degree)



### Water Tight Hub



### (ETF) EMT to Flexible Connector



### EMT Connector Screw Type





Accessories	Sizes									Material
Straight Flexible Connector	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"				Aluminum
Flexible Angle Connector	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	Aluminum
Squeeze Connector	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	Zinc Die Cast
Liquid Tight Connector	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	Zinc Die Cast
Liquid Tight Angle Connector / 90 Degree	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	Zinc Die Cast
Water Tight Hub	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	Zinc Die Cast
ETF (EMT to Flexible Connector)	1/2"	3/4"	1"							Galvanized Steel
EMT Connector Screw Type	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	Aluminum
EMT Connector Compression Type	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"				Zinc Die Cast
EMT Coupling Screw Type	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	Aluminum
EMT Coupling Compression Type	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"				Zinc Die Cast
IMC Coupling	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	Galvanized Steel
One Hole Clamp	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	Galvanized Steel
Two Hole Clamp	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	Galvanized Steel
Locknut	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	Galvanized Steel
Metallic Bushing	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	Zinc Die Cast
Conduit Hanger	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	Galvanized Steel
Loop Hanger	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	Galvanized Steel
Strut Clamp	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	Galvanized Steel
Channel Nut Spring	M6x6"	M8x8"	M10x9.2"	M12x11.8"						Galvanized Steel
Grip Anchor	1/4"	3/8"	1/2"							Galvanized Steel
Entrance Cap Thread / Entrance Cap Clamp	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	Aluminum
Threaded Conduit Bodies ( LB/LR/LL/C/T )	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	Aluminum
Waterproof Boxes Two Gang TGB, 5 hole & Single Gang, FSB 3 hole	1/2"	3/4"								Aluminum
Conduit Boxes	1/2"	3/4"								Galvanized Steel

